

Euramax Coated Products



Sampling support



Metawell
metal sandwich technology

Metawell
metal sandwich technology

Architectural Colours

Metawell GmbH
metal sandwich technology

PO. Box 1899 - D-86623 Neuburg/Donau
Schloßmühlweg 31 - D-86613 Neuburg/Donau
Phone +49 8431 6715-0 Fax +49 8431 6715-792
info@metawell.com - www.metawell.com



Colour your dreams

In your facade and facade specialists and colorists. With their expertise, they create color and form. Let us take you through the color and design. From the design, individual design, various colors, glass and color according to RAL, NCS, BS and Pantone can be used for facade. Searching for color and at the same time „green“ facade? Just talk to us. Speech is our strength.

In your facade look spectacular and colorful! Making your dreams come true in the process. We inspired by the local climate, architecture, design, form, glass and color according to RAL, NCS, BS and Pantone can be used for facade. Searching for color and at the same time „green“ facade? Just talk to us.



Look and feel



VORABEN: GUIDELINES:

- Zur Vermeidung von Farbunterschieden beschaffen Sie ein Projekt mit einer Charge
- Die Anordnung der einzelnen Module kann vom Lieferanten nicht garantiert werden
- Montage muss in einer Richtung erfolgen um Nachbarn und Umgebung zu vermeiden
- Wartungsarbeiten sind zu beachten

ZUSÄTZLICHE HINWEISE FÜR ALU-NATUR SUBSTRATE:

- Einzelne Module können in der Farbe variieren / kleine Unregelmäßigkeiten können auftreten
- Einzelmodule sind nicht für den Einsatz in der Außenwand geeignet
- Verwendungsmöglichkeit zwischen 30° N. N. und 30° S. O. Bereich

LACKSPEZIFIKATIONEN:

- 1-Schicht High Durable Polymer (HDP) Klarlack
- 2-Schichten HDP
- 3-Schichten HDP
- 3-Schichten Polyurethanharz (PUF) + Lackmittel
- 3-Schichten HDP + Deckerschicht in HDP + Lackmittel

Sampling support

ANODIZED & METALS

ANODIZED
Install panels in the same direction to avoid orientation differences. Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences. New colours and designs on request

ALA-801 Light Bronze
(00Q2522.30 + 00M2732.30)

TEXTURES & 3D

TEXTURES
Install panels in the same direction to avoid orientation differences. Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences. New colours and designs on request

ALT-602 Pyrite Matt Silver
(00T2781.05)

ALT-603 Frosted Silver Blue
(00R0678.55 + 00T2334.10)

ALT-604 Zink Flowers gold
(0019HDP.005)

ALT-605 Slate Stone black
(0011TRX.G05)

ANODIZED
Install panels in the same direction to avoid orientation differences. Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences. New colours and designs on request

ALA-802 Silver Bronze
(00Q093.30 + 00M2735.30)

ALA-803 Middle Bronze
(00Q093.30 + 00M2093.30)

ALA-804 Dark Bronze
(00Q240.25)

ALA-805 Black
(00Q2630.25)

Alubond
U.S.A.
Fire Rated Metal Composites

Install panels in the same direction to avoid orientation differences
Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences
New colours and designs on request

TYPES OF FINISHES

AnoMax	Gloss level 30%
PE	2 layers Polyester
PVDF	2 layers Polyvinylidene Fluoride
PVDF cc	3 layers Polyvinylidene Fluoride + clearcoat

www.alubond.com

3 D
Install panels in the same direction to avoid orientation differences. Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences. New colours and designs on request

AL3D-702 Carbon (1+1 décor)
(0011TRX.G0)

AL3D-703 Carbon (2+1 décor)
(0010HDP.G0)

Alubond
U.S.A.
Fire Rated Metal Composites


Install panels in the same direction to avoid orientation differences
Pattern appearance may slightly vary
Order projects in one batch to avoid colour / pattern differences
New colours and designs on request

TYPES OF FINISHES

- Design
- Fine
- Rough
- Ultra Rough
- HDP - High Durable Polymer



www.alubond.com

Sampling support



Colour Samples
Aluminium

BOEHME® SYSTEMS Anodize

www.boehme-systems.com

BOEHME® SYSTEMS Colour Samples Aluminium

BOEHME® SYSTEMS Anodize

BOEHME® SYSTEMS Anodize is a range of pre-coated finishes on aluminium matching EURAS industrial standards. BOEHME® SYSTEMS Anodize stands for a new anodizing awareness that distinguishes itself by high warranties, great colour consistency and price economy of coil coating. BOEHME® SYSTEMS Anodize coatings offer great flexibility for bending and rollforming resulting in an enormous panel versatility. Add the possibility to create your own individual colour and 'personal anodizing' is a fact.

AnoMax Gloss level 35%
AnoMax ultra-matt Gloss level 10%

Benefits over anodised aluminium



- Flexibility for bending and rollforming
- Price economy
- Colour stability
- Sustainability

Guidelines

- Install panels in the same direction to avoid reflection differences
- Order projects in one batch to avoid colour differences
- More colours and samples on request

Aluminium


The average use of recycling content in pre-coated aluminium alloys is double in comparison to real anodised aluminium alloys. A huge difference if you know that recycling requires only 5% of the energy of primary aluminium production.


www.boehme-systems.com

BOEHME® SYSTEMS Colour Samples Aluminium


Samples for BOEHME® SYSTEMS Anodize




AnoMax - Series C1 / Silver
902861.30




AnoMax ultra matt - Anodized Light Gold
902862.10




AnoMax - Series C2 / Silver Bronze
902861.40 + 902870.30



AnoMax ultra matt - Anodized Autumn




AnoMax - Series C3 / Middle Bronze
902861.30 + 902861.30



AnoMax ultra matt - Anodized Grey Black
902791.10

www.boehme-systems.com



Contact

Subject:

BOEHME® SYSTEMS Verwaltungs GmbH
Ungerstr. 129
80695 Munich
GERMANY

Phone: +49 (0) 89 3420307
Fax: +49 (0) 89 3420311
Email: sales@boehme-systems.com

Represented by:


Copyright © 2013 BOEHME® SYSTEMS. All rights reserved. Colors and Descriptions are typical.
For the benefit of the environment printed on FSC certified paper.

www.boehme-systems.com



Colour Samples
Aluminium

BOEHME® SYSTEMS AluNatur




www.boehme-systems.com

BOEHME® SYSTEMS Colour Samples Aluminium

BOEHME® SYSTEMS AluNatur

BOEHME® SYSTEMS AluNatur highlights the natural beauty of Aluminium. A transparent coating shows the original aluminium surface. With semi transparent pigments it is possible to see the aluminium surface through a coloured coating.


AluNatur HDP 1 layer High Durable Polymer clearcoat
AluNatur PUR/PA 1 layer Polyurethane Polyamide clearcoat

Guidelines

- Bare material may slightly vary in colour / show up small irregularities
- Final coated product can slightly vary from sample
- Order projects in one batch to avoid colour differences
- Protective film recommended to avoid installation scratches
- End use > 1500 meters from coastal area
- No end use in heavy industrial / corrosive environments
- Limited end use between 30° NL and 30° SL

Aluminium


- Aluminium is 100% recyclable, with no loss of quality
- Produced from bauxite – one of the earth's most plentiful elements
- Light in weight resulting in easier handling and lighter building constructions
- Aluminium is extremely flexible which makes processing very energy efficient
- Material of the future due to low melting point / strong 'energy bank properties'




www.boehme-systems.com

BOEHME® SYSTEMS Colour Samples Aluminium

Samples for BOEHME® SYSTEMS AluNatur



AluNatur HDP - Bright Brushed
902736.90




AluNatur PUR/PA - Quartzite Brushed
902882.10




AluNatur HDP - New Gold Brushed
902811.10



AluNatur PUR/PA - Bluestone Brushed
902785.10




AluNatur HDP - Orange Gold Brushed
902782.90



AluNatur PUR/PA - Greenstone Brushed
902786.10

www.boehme-systems.com



Contact

Subject:

BOEHME® SYSTEMS Verwaltungs GmbH
Ungerstr. 129
80695 Munich
GERMANY

Phone: +49 (0) 89 3420307
Fax: +49 (0) 89 3420311
Email: sales@boehme-systems.com





Represented by:

Copyright © 2013 BOEHME® SYSTEMS. All rights reserved. Colors and Descriptions are typical.
For the benefit of the environment printed on FSC certified paper.

www.boehme-systems.com











Warranty

Limited warranty overview

EURAMAX		Warranty period in years	100% rebate period in years	Coastal area warranty period	Coastal area 100% rebate period	Limited rebate period	15 year	10 year
EuraBuild™ Diamond EuraBuild Diamond EuraDecor Diamond EuraMica Diamond FastClean Diamond		40	25	20	12,5	Limited rebate % of full value	year	year
EuraBuild Platinum EuraDecor Platinum AnoMax Platinum CoolRoof Platinum EuraZinc Platinum		30	15	Project specific	Project specific	80%	0-3	0-2
EuraBuild Gold EuraDecor Gold EuraMica Gold EuraTex Gold		20	10	-	-	60%	4-6	3-4
EuraBuild Silver EuraDecor Silver EuraTex Silver EuraZinc Silver AluNatur Silver AluVogue 3D Silver		20	5	-	-	40%	7-9	5-6
						20%	10-12	7-8
						10%	13-15	9-10

- Details and exclusions apply and can be found in the limited warranty conditions and its enclosures
- Limited warranty is exclusively given on a project specific basis
- Coastal area is ≤ 1.500 meters from saltwater. Limited rebate periods in coastal areas are half of non coastal areas

Warranty - per coating system

Coating quality				
PE – Polyester				
HDP – High Durable Polyester				
EuraFlon 2 layer				
PVDF – Polyvinylidene Fluoride				
PVDF Lum				

All warranty periods are subject to Limited Refund, dependent on geographical area



Latest innovations
in pre-coated aluminium

Innovative products

- EuraZinc - Self weathering zinc coating
- EuraTex - Original textures
- Jeweller range - Roof and facade masterpieces
- AluVogue 3D - 3D effects on flat strip aluminium
- EuraBuild Active range
- AluDesign - Digital design coating

Finishes



EuraZinc - Self-weathering zinc coating

- Real zinc particles in the topcoat
- Its original finish will change to a matt grey finish, just as natural zinc
- Save 60% weight over real zinc
- Price economy over real zinc
- Great panel versatility
- Available up to 2.00 thickness

Self weathering zinc coating




EuraZinc Pro
Newly painted



EuraZinc Pro
Weathered

Panel versatility



Finishes



EuraTex - Original textured coating

- Unique textured finishes
- Inspired by nature
- Textures from fine to ultra rough
- Gloss from ultra matt to vivid reflections
- Custom textured designs possible

Finishes




Finishes



Jeweller range - Roof and façade masterpieces

- Roof and façade masterpieces
- Superior quality based on multi layer PVDF Lum coatings
- Exceptional colours that accomplish your finest achievements
- Any gloss level (20 to 90 g.u.)
- Customized jewels on request

Finishes



King Abdul Aziz International Airport

Jeddah, Saudi Arabia

Atkins Global

EuraMica Diamond


Canyon Copper

Nr. 1 biggest metal roof in the world

1350 tons
pre-coated alu



Finishes



AluVogue 3D - 3D effects on flat strip alu


- The first 3D coil finish
- Give your ideas a third dimension
- AluVogue and AluVogue Pro versions
- Optical deforming at complete flatness
- No surface tension / excellent dirt repellence
- All glosses available
- 0.3 p to 1.5 mm thickness

Finishes



EuraBuild Active EuraCool

- The cool solution for a hot topic
- Reflects more sunlight creating lower metal temperature
- Energy savings in all climates
- Available in 10 standard colours
- PVDF 2 layer coating system



Finishes



EuraBuild Active FastClean

- Protects your building against graffiti vandalism
- Exceptional dirt repellence
- Additional clearcoat on PVDF based system
- Available up to 60% gloss





AluDesign - Digital design coating

- True facade freedom
- The first digital design coating in pre coated aluminium
- Multi layer coating system
- Excellent for exterior applications
- XXL panels up to 2.600 x 10.000 mm
- Max. panel height is 50 mm
- Possible on flat panels

Finishes

aludesign.





Go fast with Euramax

- Program to shorten the delivery time of orders
- 4 different speed 'levels'
- Alloy 3004, 3005 and 4000 in the program



Go fast with Euramax

Euramax recognizes the benefit of short lead time as a valuable tool. Therefore we have set up a program to shorten the delivery time of your orders and that of our customers. Since the introduction of the short lead time program in January 2012 we have served many customers by bringing the delivery time.

We offer four different speed levels:

Speed Level	Lead Time	Alloys
1 week nitro	orders are ready to ship between 21 - 28 calendar days. (short lead time is possible in a wide range of sheet systems and for the following specifications)	3004, 3005, 4000
2 week turbo	orders will be ready to ship in 21 calendar days.	3004, 3005, 4000
3 week express	orders will be ready to ship in 14 calendar days.	3004, 3005, 4000
4 week speed	orders will be ready to ship in 7 calendar days.	3004, 3005, 4000

Now

Sheet Size	Thickness	Alloys
Coil sheet: 1100 x 1250 mm Sheet: 1400 x 1250 mm	> 1.4 - < 3.00 mm	3004, 3005, 4000
Coil sheet: 1100 x 1250 mm Sheet: 1400 x 1250 mm	> 1.4 - < 3.00 mm	3004, 3005, 4000

The following ultra-thin sheet can contain more sheets, but requires personalized logistical agreements.

orders will be ready to ship in 21 calendar days.

orders will be ready to ship in 14 calendar days.

orders will be ready to ship in 7 calendar days.

EURAMAX





500 + different samples available

- Available samples send within 3 days
- More than 500 different samples in sample room
- Sampling & brochure support on request



Colour & sample not available?

- We can match colours within 7 working days

Thanks for your attention



**Advanced architecture
is a meeting of minds**

Talk to us

+31-475370341
www.euramax.eu
max@euramax.nl